




BRUSHED

KENTWOOD™  
ORIGINALS

## BRUSHED

Surface brushing opens the grain of the wood, adding subtle texture and contrast to the surface of the floor. The result is an elegant new dimension to a classic hardwood look. Kentwood Originals Brushed series includes options in solid strip and engineered wide plank styles in a tantalizing choice of designer colors.



OAK KALISPELL / ENGINEERED

BOARDS SHOWN, ACTUAL SIZE

### SPECIFICATIONS

#### ENGINEERED BRUSHED

- 7½" (189mm) wide
- 5/8" (15mm) thick
- approx 77" (1860mm) long
- all wood engineered construction
- surface brushed to enhance natural texture and grain patterns
- extra wide plank and edge bevel on all sides
- high performance low luster polyurethane finish
- most styles FSC certified

#### SOLID BRUSHED

- 3½" (90mm) wide
- approx 3/4" (18mm) thick
- assorted lengths
- surface brushed to enhance natural texture and grain patterns
- high performance low luster polyurethane finish

N.A. RED OAK GRANGER / SOLID

SOLID BRUSHED



N.A. RED OAK COLCHESTER



N.A. RED OAK KALISPELL



OAK ARLINGTON



N.A. RED OAK GRANGER



OAK AURORA



OAK KALISPELL



OAK BRICKYARD



OAK KINGSTON



OAK COLCHESTER



OAK NATURAL



OAK GRANGER



OAK RAVENSDALE



OAK GRANITE PASS



OAK SANDERSON

ENGINEERED BRUSHED

## KENTWOOD™ ORIGINALS

Kentwood Originals continues the legacy of Kentwood's founding collection of wood floors, with a proven selection of popular styles all offering Kentwood's signature values: the natural beauty of genuine hardwood, premium quality milling and manufacturing, and excellent value.



**Oak Granite Pass** is one of several options offered in Kentwood Originals' popular Brushed series. The elegant blend of color and texture has made these floors a favourite among interior designers. To see more inspiring installations of Kentwood products, please visit [kentwoodfloors.com](http://kentwoodfloors.com).

### INSTALLATION OPTIONS, ENGINEERED BRUSHED

Nail, glue down or float; on, above or below grade.

May be floated over radiant heat (selected species only; must follow Kentwood Special Instructions).

 OK OK OK	ABOVE GRADE   YES				
	ON GRADE   YES	NAIL	GLUE	FLOAT	RAD HEAT
	BELOW GRADE   YES	YES	YES	YES	YES

### INSTALLATION OPTIONS, SOLID BRUSHED

Nail or staple down; on, or above grade. Not for use with radiant heat systems.

 OK OK NO	ABOVE GRADE   YES				
	ON GRADE   YES	NAIL	GLUE	FLOAT	RAD HEAT
	BELOW GRADE   NO	YES	NO	NO	NO

### WARRANTY

All KENTWOOD ORIGINALS products carry a 25 year residential wear warranty. For complete installation instructions, warranty information & product specifications please visit [kentwoodfloors.com](http://kentwoodfloors.com).

KENTWOOD ORIGINALS floors are made from real wood, not a manufactured imitation. Because wood is a natural material, every piece of KENTWOOD ORIGINALS flooring will have a unique appearance, often with naturally-occurring variations in color, texture and grain pattern. Showroom samples and photographic reproductions can give an example of the product's appearance but they may not be representative of the full range of color, texture and grain variations which can occur in the product itself. The product images on this chart are intended for reference only and should not be considered as representative of the product's actual appearance. Note: Product selection may vary by area. Product selection and specifications are subject to change without notice. The trade-marks KENTWOOD ORIGINALS and KENTWOOD are owned by Kentwood Floors Inc. and are used under license.