



TORLYS and the Environment

"At TORLYS, we create beautiful and practical flooring, but not at nature's expense. We rethink every aspect of floor design and optimize every possible environmental benefit."
— Peter Barretto, CEO, TORLYS Inc.

Reduce. Renew. Re-use. Rethink.

At TORLYS, reducing environmental impact and offering sustainable alternatives are vital to product development. TORLYS products balance the aesthetics of exceptionally attractive flooring with long-term durability, repairability and reusability.

- Smart Hardwood technology optimizes natural resources, allowing TORLYS to produce 30 times more flooring from a single tree than conventional hardwood.
- TORLYS patented Uniclic joint eliminates the need for chemical glues, solvents and fumes during installation.
- Clicking together the Uniclic joint is a reversible process. TORLYS floors can be easily disassembled and re-used, up to 3 times under warranty.
- Ongoing health benefits come with no-gap flooring that would otherwise harbor dust and dirt, mites and allergens.
- When installed with TORLYS Safe & Sound Underlay, TORLYS Hardwood provides anti-microbial protection against mold and mildew.

In the Community



Success for TORLYS means being involved in the community. As a long-time supporter and sponsor of Habitat for Humanity, TORLYS continues to support deserving families on an ongoing basis. Local Habitat centers are now being set up as community re-use facilities for TORLYS flooring. Further details for this program can be found online at habitat.torlys.com

TORLYS
HARDWOOD
torlys.com



© TORLYS is a registered trademark of TORLYS Inc.



Now and then
something comes along
that changes the way you think.



TORLYS
H A R D W O O D

Everest Exotics	6
Everest Americas	12
Summit	18
Montcalm	24
Smart Hardwood	28
Coordinating Accessories	30
Exotics Origins	31
Frequently Asked Questions	32
Product Detail and Information	33
TORLYS and the Environment	35

TABLE OF CONTENTS

EVEREST exotics



Welcome to the Everest Exotics Collection

Discover beautifully unique expression, with a distinctive collection of precious hardwoods from environmentally-managed forests around the world.

"I stay connected to people and places I love. It could be a vase from my mother or a special look influenced by art from a recent trip to Paris. It's all me – all tied together with my Everest Exotics Hardwood – and it works."



EVEREST *Texotics*



TORLYS Everest Hardwoods are uniquely beautiful and perfectly stable.

Everest is the pinnacle of environmentally-friendly innovation, an original and truly "smart" hardwood that optimizes our hardwood resources. Using modern technology, TORLYS is able to produce 30 times more flooring per tree than conventional hardwood.

Add to this the integrity of the Unidic joint – with its superior gap resistance – and you have an extraordinary hardwood floor.

Zebrano HCU53641



EVEREST exotics

TORLYS Everest Hardwood is engineered hardwood taken to another level. Specially selected hardwoods create a stunning and durable floor surface. Gap-resistance is ensured with the Uniclic joint, high-density wood core and a bottom layer of cork, nature's own air-cushioned underlay.


The Look From dramatic contrasting grains to soft, muted colors. Subtle finishes enhance the natural beauty of each exotic hardwood. Wide, long planks in two lengths define a space.

The Feel Smooth and textured finishes


The Details Micro-bevelled Edges, 4 Sides
 2-Length Design: 4-3/4" (width) x 63" ; 31-1/2" (2-lengths) x 5/8" (thickness)
 120.25mm (width) x 1600mm ; 800mm (2-lengths) x 15mm (thickness)



Bamboo Vertical Steamed
HCU53150



Brazilian Cherry
HCU53561



Teak
HCU53571



Mahogany
HCU53601



Wenge
HCU53611



Zebrano
HCU53641



Makore
HCU53651



Rosewood
HCU53671



Panga Panga
HCU53663

Rosewood HCU53671

Welcome to the Everest Americas Collection

Imagine hardwoods of the New
World, rediscovered, in an
exclusive collection celebrating
the incomparable natural beauty
of the Americas.

"Serenity and balance energize my
surroundings. Finding Everest Americas
Hardwood was like finding an old friend...
so comfortable and familiar, yet more
beautiful today than I ever remembered."



EVEREST americas

American Walnut HCU53621



EVEREST americas

The rich grain of vintage
oak adds character to this
country retreat.


Oak Vintage Hazelnut HCU53228



EVEREST americas

Exotics or Americas, TORLYS Everest Hardwood is truly "smart" hardwood. Every plank is made from specially selected hardwood to form a stunning, durable floor surface. Made with the Uniclic joint, Everest is gap-resistant and backed by a high-density wood core and a bottom layer of cork, nature's own air-cushioned underlay.

Red Oak Natural
HCU53111



Beech Slate HCU53449

The Look Long, wide hardwood planks elongate and warm any living space.

The Feel Smooth and textured finishes

The Details Micro-bevelled edges, 4 Sides
2-Length Design: 4-3/4" (width) x 63"; 31-1/2" (2-lengths) x 5/8" (thickness)
120.25mm (width) x 1600mm ; 800mm (2-lengths) x 15mm (thickness)



SUMMIT expressions

Welcome to the Summit Collection

Experience the very best in premium hardwood. Only the finest quality woods are selected and perfectly finished in rich hues and textures.

"Life comes at us fast, relentless... but not at home. It's restful here, sharing with friends and family, enjoying the best in life, and a natural fit for our Summit Hardwood."





Beech Sahara HCU65445

A master bedroom, warmed and refreshed by the light, soft texture of beech.

SUMMIT expressions




SUMMIT expressions

The Look Long graceful planks in a range of colors and textures. Add an elegant touch or modern clean lines to any space.

The Feel Smooth and textured finishes

The Details Micro-bevelled Edges, 4 Sides
 1-Length Design: 4" (width) x 43-1/4" (length) x 7/16" (thickness)
 100mm (width) x 1100mm (length) x 11mm (thickness)
 3-Length Design: 4" (width) x 47"; 27"; 20" (3-lengths) x 7/16" (thickness)
 100mm (width) x 1200mm ; 685mm ; 500mm (3-lengths) x 11 mm (thickness)



Red Oak Natural
HCU65111



Oak Sunset
HCU65112



Oak Sierra
HCU65113




Oak Chestnut
HCU65114



Oak Chateau
HCU65116




Oak Vintage Java
HCU65117




Beech Natural
HCU65441



Canadian Maple
HCU65331



Beech Cinnamon
HCU65442




Beech Sahara
HCU65445




Beech Java
HCU65447




Rustic Maple Iroko
HCU65342



Timbi
HCU65547



Beech Wenge
HCU65448



Beech Slate
HCU65449



Kalungi
HCU65549



Jatoba
HCU65561

Canadian Maple HCU65331

Welcome to the Montcalm Collection

A Fresh, "smart" hardwood
interpretation of traditional
strip hardwood.

"My home is everything. Literally! Studio
and living space coexist, quite comfortably,
and the fresh style and texture of my
Montcalm Hardwood ties it all together,
simply and beautifully."



MONTCALM treasures


Beech Java HCU54447



Red Oak Natural HCU54111

MONTCALM treasures

Richly textured hardwood flooring in classic styles.



Red Oak Natural
HCU54111




Oak Sunset
HCU54112




Oak Sierra
HCU54113



Oak Chateau
HCU54116




Beech Natural
HCU54441




Beech Cinnamon
HCU54442



Beech Sahara
HCU54445



Beech Java
HCU54447



Beech Slate
HCU54449



Beech Wenge
HCU54448

The Look A classic revisited. Long, narrow planks create the look of traditional strip hardwood.

The Feel Smooth and textured finishes

Details Micro-bevelled Edges, 2 Sides, 3-Strip
7-7/8" (width) x 47-1/8" (length) x 7/16" (thickness)
200mm (width) x 1196mm (length) x 11mm (thickness)

Times Change

Modern technology has improved on the century-old idea of strip hardwood flooring and made it better. It's called engineered hardwood.

Smart Hardwood

At TORLYS, we've taken engineered hardwood even further. We call it "smart" hardwood.

It starts with the environment and an optimal use of natural resources. Why waste hardwood when you create up to 30 times more flooring from a single tree? With TORLYS Smart Hardwood, precision cutting and assembly minimizes hardwood consumption. Combined with expert craftsmanship, TORLYS is able to create hardwood floors that are as beautiful as ever, but stronger, more stable, and easier to install.




Engineered Smart Hardwood

The Integrity of Uniclic

The strongest-possible joint in flooring today – the patented "Uniclic joint" – is integral to TORLYS Smart Hardwood. During installation, it doesn't require messy glues or chemicals, or nails of any kind. Uniclic creates a remarkably stable and gap-resistant floor, and because the click joint process is reversible, the floor can be re-used up to 3 times under warranty.

True to the Core

TORLYS Hardwood combines a precisely engineered high-density wood core with a generous layer of elegant and rich hardwood. This design facilitates dent resistance and surface performance, keeping the floor "looking smart" for decades.



Engineered Smart Hardwood:

- Scratch-resistant finish
- Real Wood Layer
- High Density Wood Fiber Core
- Patented Uniclic Joint
- Backing for added stability

Beautiful and Smart

The result is a stunning hardwood floor created with minimal environmental impact. TORLYS Smart Hardwood is easy to install and maintain,



The Uniclic Joint:
The most advanced, gap-resistant joint system available today.

Coordinating Accessories

Underlay

Breakthrough Technology. Superior Underlay.

Choosing the correct underlay for your new TORLYS Hardwood is crucial for the protection of your flooring, your warranty and to enhance the warmth and comfort of your new hardwood.

TORLYS Safe and Sound (5-in-1 Foam Underlay)

TORLYS Safe and Sound reduces the sound of steps, eliminates "hollow" sounds and keeps floors quiet. With a built-in vapor barrier and a 3" self-adhesive strip, TORLYS Safe and Sound underlay offers antimicrobial protection (kills bacteria and mildew), making it a perfect choice for basements and installations over concrete sub-floors.

TORLYS Acoustik (4-in-1 Foam Underlay)


TORLYS Acoustik has superior impact sound insulation properties (IIC-rated), ideal for high-rise installations where the transfer of sound from one apartment to the one below is a concern. TORLYS Acoustik also features a vapor barrier and a 3" self-adhesive strip.

TORLYS 3-in-1 Foam Underlay

This foam underlay provides cushion and step-sound reduction for your TORLYS Hardwood floor. It includes a vapor barrier with a 3" self-adhesive strip to ensure your entire floor is protected from sub-floor moisture.

TORLYS Cork Underlay

TORLYS Cork Underlay is a superior natural insulator with long-lasting performance. An environmentally-friendly product, TORLYS Cork Underlay offers natural air-cushioning for comfort, sound step absorption and thermal insulation.



Moulding and Trim


TORLYS Hardwood floors require a transition moulding to cover the expansion gap mandatory in floors wider or longer than 30', and at doorways.

Solo Multi-Functional Moulding (length: 84 - 1/2")

1. T-Moulding: Used to adjoin two floors of identical height.
2. A Reducer: Used to transition two different floor heights.
3. Square Nose, in ONE profile: Edge moulding used to conceal the expansion gap around the perimeter of a room and to transition TORLYS Hardwood to carpet.

Stair Nose (length: 84")

Stair-edge trim moulding for installation of TORLYS Hardwood on staircases.



Exotics Origins



Bamboo

Found predominantly in Asia, Bamboo is more of a grass than a tree. With just a 4-year harvest time from growth to floor preparation, bamboo is a totally renewable resource. Traditionally a pale, almost cream color, bamboo takes on a richer, deeper color when carbonized.



Teak

Teak grows in Indonesia and is best known for its use in furniture making. The heartwood is golden colored with darker brown streaks. It is a fairly coarse wood with a straight, sometimes wavy grain.



Mahogany (type: Sepelli)

This particular type of Mahogany, Sepelli, is native to the African countries of Ivory Coast, Cameroon, Zaire and Uganda. The Mahogany heartwood is a deep red or reddish brown. It has a fine-to-medium texture and a uniform intertwined grain.



Wenge

Found in central Africa, Wenge is a rich dark brown, almost black color with a pleasing contour and texture. Wenge has a straight, tight grain.



Panga Panga

The 'little brother' to Wenge, Panga Panga is found in central Africa as well. Panga Panga does not darken to the same degree as Wenge as it ages, and stays a lighter brown. It is an extremely hard wood, very heavy and durable.



Makore

Pronounced mac-or-ray, it is another wood native to Africa. Makore has a striking contrast between the pinkish white sapwood and the reddish brown heartwood. It has a straight, interlaced grain and is a medium to fine textured wood.



Bolivian Rosewood

Rosewood is found in Bolivia and Brazil and is a show of color and texture, of natural wood at its best. A purple hued brown heartwood is lavishly striated with black graining. Over time, more golden brown tones appear, adding richness in appearance.



Brazilian Cherry

Brazilian Cherry is popularly known as Jatoba. Its distinctive soft red and burnt orange coloring will age over time to a beautiful reddish brown with dark streaks, creating a floor with beautiful light to dark color contrasts.



Zebrano

Found in west central Africa and also known as Zebrawood, this species gets its name from the unique light wood color and dark black streaks, similar to a zebra's coat. It has a wavy, interlaced grain.

Frequently Asked Questions

What makes TORLYS Hardwood different from other hardwood floors?

TORLYS Hardwood is engineered hardwood taken to another level. It is the pinnacle of environmentally-friendly innovation, a "smart" hardwood that optimizes our natural resources. Using modern technology, TORLYS is able to produce 30 times more flooring per tree than conventional hardwood. Specially selected hardwoods create a stunning and durable floor surface. Gap-resistance is ensured with the Uniclic joint, and dent resistance is maximized with a high-density wood core.

Can I put TORLYS Hardwood anywhere in my house?

TORLYS Hardwood is an engineered product, well-suited for installation below grade, over concrete and even over existing floors. Depending on the application, different underlays may be required. Ask your local TORLYS dealer for more information on different applications and what you may require.

Can I easily repair my TORLYS Hardwood floor?

Yes. Only TORLYS offers you the Bulldog, a tool that allows you to repair any plank in your floor, even if it's in the middle of your room, with no power tools, dust or noise.



Is TORLYS Hardwood difficult to maintain?

TORLYS Hardwood requires the same maintenance as all other TORLYS floors. Simply vacuum or sweep your floors on a regular basis. To refresh your floors, use TORLYS Floor Cleaner once a week. Clean up any spills with a cloth.

What is the Uniclic joint?

The Uniclic joint is a patented joint guaranteed to resist gapping, warping and cupping. (Some floating floors promote their joint systems, but if it doesn't say Uniclic, it's not the same.) The patented Uniclic is integral to TORLYS "Smart Hardwood." During installation, it doesn't require messy glues or chemicals, or nails of any kind. Uniclic creates a remarkably stable and gap-resistant floor, and because the click joint process is reversible, the floor can be re-used up to 3 times under warranty.



FSC stands for Forest Stewardship Council. By using the FSC label you are supporting the growth of responsible forest management worldwide. This paper stock also contains 10% Post Consumer Waste.


TORLYS is a member of the National Wood Flooring Association. * Thanks to Decor-Rest for supplying the furniture as shown on the following pages: front cover, pages 18 & 19 and 26. For more information, please visit decor-rest.com.

Can I install TORLYS Hardwood myself?

TORLYS Hardwood uses the patented Uniclic joint, a glue and nail-free joint system that ensures a great-looking floor and makes installation easy. All you need is a saw, hammer, installation kit, tape measure, pencil and some time to install your floor. There are also professional installers. Ask your local TORLYS dealer for more details on installation.

Can I order samples of TORLYS floors?

Yes. TORLYS Online Sample Ordering makes it easy to request any flooring sample. Visit our website at www.torlys.com, and click "Order Samples" on the home page. For a small fee, your package will include a minimum of 3 (three) 4"x6" flooring samples of the collection and style of your choice, up to 3 (three) TORLYS brochures and a rebate coupon off your purchase.



TORLYS Hardwood Warranty

TORLYS Hardwood floors are covered by a 25-Year Residential Wear Warranty, and a Lifetime Structural and Joint Integrity Warranty. These warranties apply to the original end user, are not transferable, and cover only approved product applications. Please note that these warranties are valid from the date of purchase as shown on the consumer invoice. Warranties are valid only if proper installation (including the use of TORLYS recommended underlay products, where needed) and maintenance procedures are followed. Visit torlys.com for detailed information.

1. Wear-through Warranty

This is restricted to wear on the surface of the boards. The wear must be readily visible and cover a minimum of 10% of the installed floor. Gloss reduction is not considered wear.

2. Lifetime Structural Warranty

We guarantee this product is free from manufacturing defects and will remain free of these defects for as long as you own your residence.

3. Lifetime Joint Integrity Warranty

The joint will remain secure and the planks will not come apart. Note: All TORLYS Hardwood floors are engineered to minimize gapping that can occur in natural floors with seasonal fluctuations. Minor gapping (up to 0.2mm or 0.01"), without the unlocking of the pieces, may occur and is not considered a defect.



When a hardwood floor this beautiful comes with environmental benefits, you understand the old rules no longer apply. With TORLYS, the richness of hardwood includes integrity of design and intelligent use of natural resources. It's new thinking. Just what you want, for your life, for your home.



DISCOVER SMART HARDWOOD.



Product Information

Hardwood	SKU	Smooth Finish	Textured Finish	Veneered	Sawn Top Layer	Width	Length	Thickness	Board Design	Edge
Exotics										
Bamboo Vertical Steamed	HCLJ53150	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Brazilian Cherry	HCLJ53561	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Iteak	HCLJ53571	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Mahogany	HCLJ53601	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Wenge	HCLJ53611	✓	✓	✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Zebrawood	HCLJ53641	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Makore	HCLJ53651	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Rosewood	HCLJ53671	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Panga Panga	HCLJ53663	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Red Oak Natural	HCLJ53111	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Oak Sunset	HCLJ53112	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Oak Sierra	HCLJ53113	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Oak Chestnut	HCLJ53114	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Oak Vintage Espresso	HCLJ53116	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Oak Vintage Hazelnut	HCLJ53228	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
White Oak Natural	HCLJ53231	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Maple Natural	HCLJ53331	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Maple Cinnamon	HCLJ53332	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Beech Natural	HCLJ53441	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Beech Sahara	HCLJ53445	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Beech Java	HCLJ53447	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Beech Slate	HCLJ53449	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
American Walnut	HCLJ53621	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
American Cherry	HCLJ53771	✓		✓	✓	4-3/4" (120.25 mm)	63" x 3-1/2" (1600 mm, 800 mm)	5/8" (15 mm)	Plank	Bevel - 4 sides
Americas										
Red Oak Natural	HCLJ65111	✓		✓	✓	4" (100 mm)	47" x 27" x 20" (1200 mm, 685 mm, 500 mm)	7/16" (11 mm)	Plank	Bevel - 4 sides
Oak Sunset	HCLJ65112	✓		✓	✓	4" (100 mm)	47" x 27" x 20" (1200 mm, 685 mm, 500 mm)	7/16" (11 mm)	Plank	Bevel - 4 sides
Oak Sierra	HCLJ65113	✓		✓	✓	4" (100 mm)	47" x 27" x 20" (1200 mm, 685 mm, 500 mm)	7/16" (11 mm)	Plank	Bevel - 4 sides
Oak Chestnut	HCLJ65114	✓		✓	✓	4" (100 mm)	47" x 27" x 20" (1200 mm, 685 mm, 500 mm)	7/16" (11 mm)	Plank	Bevel - 4 sides
Oak Chateau	HCLJ65116	✓		✓	✓	4" (100 mm)	47" x 27" x 20" (1200 mm, 685 mm, 500 mm)	7/16" (11 mm)	Plank	Bevel - 4 sides
Oak Vintage Java	HCLJ65117	✓	✓	✓	✓	4" (100 mm)	47" x 27" x 20" (1200 mm, 685 mm, 500 mm)	7/16" (11 mm)	Plank	Bevel - 4 sides
Beech Natural	HCLJ65441	✓		✓	✓	4" (100 mm)	47" x 27" x 20" (1200 mm, 685 mm, 500 mm)	7/16" (11 mm)	Plank	Bevel - 4 sides
Beech Cinnamon	HCLJ65442	✓		✓	✓	4" (100 mm)	47" x 27" x 20" (1200 mm, 685 mm, 500 mm)	7/16" (11 mm)	Plank	Bevel - 4 sides
Beech Sahara	HCLJ65445	✓		✓	✓	4" (100 mm)	47" x 27" x 20" (1200 mm, 685 mm, 500 mm)	7/16" (11 mm)	Plank	Bevel - 4 sides
Beech Java	HCLJ65447	✓		✓	✓	4" (100 mm)	47" x 27" x 20" (1200 mm, 685 mm, 500 mm)	7/16" (11 mm)	Plank	Bevel - 4 sides
Beech Wenge	HCLJ65448	✓		✓	✓	4" (100 mm)	47" x 27" x 20" (1200 mm, 685 mm, 500 mm)	7/16" (11 mm)	Plank	Bevel - 4 sides
Beech Slate	HCLJ65449	✓		✓	✓	4" (100 mm)	47" x 27" x 20" (1200 mm, 685 mm, 500 mm)	7/16" (11 mm)	Plank	Bevel - 4 sides
Canadian Maple	HCLJ65331	✓		✓	✓	4" (100 mm)	43-1/4" (1100 mm)	7/16" (11 mm)	Plank	Bevel - 4 sides
Rustic Maple Inoko	HCLJ65342	✓		✓	✓	4" (100 mm)	43-1/4" (1100 mm)	7/16" (11 mm)	Plank	Bevel - 4 sides
Timbi	HCLJ65547	✓		✓	✓	4" (100 mm)	43-1/4" (1100 mm)	7/16" (11 mm)	Plank	Bevel - 4 sides
Kalungi	HCLJ65549	✓		✓	✓	4" (100 mm)	43-1/4" (1100 mm)	7/16" (11 mm)	Plank	Bevel - 4 sides
Jaroba	HCLJ65561	✓		✓	✓	4" (100 mm)	43-1/4" (1100 mm)	7/16" (11 mm)	Plank	Bevel - 4 sides
Everest										
Red Oak Natural	HCLJ54111	✓		✓	✓	7-7/8" (200 mm)	47-1/8" (1196 mm)	7/16" (11 mm)	3-Strip	Bevel - 2 sides
Oak Sunset	HCLJ54112	✓		✓	✓	7-7/8" (200 mm)	47-1/8" (1196 mm)	7/16" (11 mm)	3-Strip	Bevel - 2 sides
Oak Sierra	HCLJ54113	✓		✓	✓	7-7/8" (200 mm)	47-1/8" (1196 mm)	7/16" (11 mm)	3-Strip	Bevel - 2 sides
Oak Chateau	HCLJ54116	✓		✓	✓	7-7/8" (200 mm)	47-1/8" (1196 mm)	7/16" (11 mm)	3-Strip	Bevel - 2 sides
Beech Natural	HCLJ54441	✓		✓	✓	7-7/8" (200 mm)	47-1/8" (1196 mm)	7/16" (11 mm)	3-Strip	Bevel - 2 sides
Beech Cinnamon	HCLJ54442	✓		✓	✓	7-7/8" (200 mm)	47-1/8" (1196 mm)	7/16" (11 mm)	3-Strip	Bevel - 2 sides
Beech Sahara	HCLJ54445	✓		✓	✓	7-7/8" (200 mm)	47-1/8" (1196 mm)	7/16" (11 mm)	3-Strip	Bevel - 2 sides
Beech Java	HCLJ54447	✓		✓	✓	7-7/8" (200 mm)	47-1/8" (1196 mm)	7/16" (11 mm)	3-Strip	Bevel - 2 sides
Beech Slate	HCLJ54449	✓		✓	✓	7-7/8" (200 mm)	47-1/8" (1196 mm)	7/16" (11 mm)	3-Strip	Bevel - 2 sides
Beech Wenge	HCLJ54448	✓		✓	✓	7-7/8" (200 mm)	47-1/8" (1196 mm)	7/16" (11 mm)	3-Strip	Bevel - 2 sides