

WARRANTY

THE VINTAGE COMMITMENT



LIFETIME STRUCTURAL WARRANTY
25 YEAR RESIDENTIAL WEAR WARRANTY
ESTATE, SELECT-V, CHARACTER & RANCH SERIES:
Consult your authorized Vintage dealer for complete warranty information.



LIFETIME STRUCTURAL WARRANTY
25 YEAR RESIDENTIAL WEAR WARRANTY
ESTATE, SELECT-V & CHARACTER SERIES:
Consult your authorized Vintage dealer for complete warranty information.



LIFETIME STRUCTURAL WARRANTY
LIFETIME STABILITY WARRANTY
25 YEAR RESIDENTIAL WEAR WARRANTY
ESTATE, SELECT-V & CHARACTER SERIES:
Consult your authorized Vintage dealer for complete warranty information.



LIFETIME STRUCTURAL WARRANTY
LIFETIME STABILITY WARRANTY
25 YEAR RESIDENTIAL WEAR WARRANTY
ESTATE & SELECT-V:
Consult your authorized Vintage dealer for complete warranty information.

LIFETIME STRUCTURAL WARRANTY

Vintage Prefinished Hardwood Flooring puts every piece of flooring through strict quality control measures. Vintage Prefinished Hardwood Flooring warrants the Estate, Select-V, Character and Ranch grades, Pioneered Solid 3/4" flooring and the Crafted, Solid Sawn Engineered and U-LOC flooring, to the original purchaser, in the original manufactured/purchased condition, to be free from milling defects, delamination, and grading for the lifetime of the floor. Any damage due to improper transportation, storage, handling, installation, or any other cause, is not covered by this warranty. As per industry standards, Vintage Prefinished Hardwood Flooring reserves the right for a 5% tolerance allowance, which is not covered under this warranty.

Armour-Kote® - aluminum oxide protective coating is guaranteed to deliver 25 years of lasting durability and protection.



Vintage Environmental Policy

At Vintage, we are committed to protecting and preserving our forests. As one of our world's natural and precious resources, trees are the foundation of our future.

At Vintage, we take great pride in procuring wood from low environmental impact suppliers. We continue to work diligently to ensure that stringent measures are followed in order to preserve the natural beauty of our trees.

Our supplier's methods of harvesting wood are recognized both nationally and internationally and are a testament to our commitment to the environment and to our future generations.

Vintage Solid Sawn Floors use 25-30% additional wood that would normally become a by-product.



Vintage Prefinished Hardwood Flooring
409 EVANS AVE., TORONTO, ON M8Z 1K8
416-252-0962 • 1-877-256-0231
www.vintageflooring.com



09/10

Imagine...





Natural Black Walnut Select-V



We offer more colors than anyone with 74 luscious colors to choose from and a selection of grades and a custom colour program unmatched by anyone in the industry.

Beautiful



Ash Carleton Select V



Natural Hickory Select-V

Ash Carriage House Select-V



Jatoba Estate Venetian Brown




Vintage's selection of Exotic Fine Woods is one of the largest collections in the industry, offering a choice of species in solid, engineered or solid sawn structure.

Extraordinary



Natural Jatoba Estate



Solid Sawn Birdseye Bamboo Caramelized

Black Walnut Select-V Natural



Ash Carleton - Herringbone Select-V

Vintage has one of the smallest “micro v” in the industry. This means smaller seams and less dirt build-up. All Vintage floors are supported by a lifetime structural warranty and a 25 year residential wear warranty guaranteed to deliver lasting beauty, durability and protection.

Unique



Red Oak Chariot



Hickory Old Mission Select-V



White Oak Character Black Oak




Maple Godiva

Our wide plank Hand Scraped hardwood flooring comes with our solid sawn construction offering unparalleled stability. It's unique finish will give any room in your home an authentic, hand crafted look with an elegant timelessness. Our Solid Sawn Floors are supported by the best stability warranty in the industry provided a relative humidity level of 30-80% is maintained.

Timeless



Solid Sawn Hand Scraped Hickory Old Mission



Solid Sawn Hand Scraped Maple Oxford



Solid Sawn Hand Scraped White Oak Edinborough Character



Hickory Select-V Chivas



Vintage Solid Sawn Structured Flooring is more stable than other types of flooring. It is less likely to cup or produce gaps in the colder months of the year provided a relative humidity level of 30-80% is maintained. It is available in both domestic and exotic species and comes in a number of finishes, ranging in size from 3.25" - 12".

Authentic



Jatoba Venetian Brown



Pioneered Bourbon Red Oak Estate

Red Oak Estate Natural



Red Oak Estate Pewter



Vintage Crafted Engineered floors are manufactured using solid hardwood lamellas mimicking solid hardwood with increased stability. We offer longer average lengths ranging from 14"-78", which is unheard of in the industry.

Exquisite



Crafted Red Oak Amazonia Estate



Hickory Select-V Chivas

Red Oak Estate Chariot


Structures

At Vintage we are committed to manufacturing a superior quality product that will not only add beauty and elegance to any room but enhance and fit your lifestyle.

We offer four types of flooring to choose from: Pioneered 3/4" Solid, Crafted 13mm Engineered for high humidity areas, Solid Sawn 3/4" structured, which is our most stable floor, and U-LOC which is our Do-it-yourself friendly product.

When selecting a floor for any room in your home, please remember that it is vital to maintain proper humidity levels according to the structure you select. This will minimize the expansion and contraction in your floor while maximizing the life of your hardwood floor. In addition, you should also consider the hardness of the species selected as some species may be more adaptable for high traffic areas.

Species Hardness Chart



What makes Vintage's Crafted and Solid Sawn better...

There are three common methods of cutting wood for engineered/structured hardwood flooring. Unlike some other manufacturers, at Vintage we use the **sawn** process to give you a realistic appearance of a solid hardwood floor and better stability.



Sawn

- Mimics a solid hardwood floor in appearance
- No repetitive patterns
- Minimizes long term checking (cracking)
- 3-5mm face thickness
- Can be sanded 2-5 times



Peeled

- Gives the appearance of plywood
- Repetitive patterns
- Thinner veneers
- May be sanded 1 time only and in some cases, may not be sanded at all



Sliced

- Natural looking appearance
- May have spliced veneers
- Prone to long term checking
- May be sanded 1-2 times


PIONEERED
3/4" Solid

Relative Humidity Chart

- Smallest "micro v" in the industry: Means smaller seams and less dirt build-up.
- Longer average lengths: For easy installation and a more elegant look.
- Superior Finish: With 99.98% pure Corundum, offering a 25 Year Armour-Kote® aluminum oxide finish that increases durability.
- Our System 21 manufacturing process offers you peace of mind.
- Variety: Solid 3/4" flooring in 6 sizes, 5 grades, 100's of luscious colors, and 18 species.
- Custom species, sizes and construction available.

- Made from 100% solid hardwood, dried to 6 - 9% moisture content.
- Install over a 5/8" plywood, 5/8" T-G wood or 23/32" OSB subfloor.

Nail



CRAFTED
13mm Engineered


Relative Humidity Chart

- Variety: 21 different species, widths of 3 1/2", 5", 5 1/4" or 5 1/2", 3 grades—Estate, Select-V and Character. Choose from 100's of luscious colors
- Superior Lengths: 3 1/2" - 14" - 72" lengths, 5" to 5 1/2" - 14" - 78" lengths
- 3mm sawn face hardwood
- Truly the smallest "micro v" in the industry
- 3 or 7 ply or finger core, 13mm total thickness



Nail



Glue



Float



(Glue and Float over radiant heat only)
* Not all species are warranted over radiant heat. Consult your dealer for further information.

SOLID SAWN
3/4" Structured


Relative Humidity Chart

- 5.0 mm Sawn Wear Layer for Hand Scraped and Domestic Species
4.2 mm Sawn Wear Layer for Exotic Species
- 9 mm Solid Lumber Core that is placed perpendicular for added strength and stability
- Core uses the same specie or alike specie for added stability
- 4.5 mm Multi Strip laminating back - Solid Lumber Back - uses the same specie or alike specie for added stability



Nail



Glue



Float



(Glue and Float over radiant heat only)
* Not all species are warranted over radiant heat. Consult your dealer for further information.

U-LOC
LOCKING STRUCTURED FLOOR
*1/2" U-LOC


Relative Humidity Chart

- 2mm Sawn face lamella
- 3.5" wide with lengths ranging from 15.7" (400 mm) to 47.2" (1200 mm)
- Välinge - G5 locking system
- Hardwood HDF core - wood back - for added stability



* Please consult your dealer as not all species may be available.

- Made from 100% solid hardwood, dried to 6 - 9% moisture content.
- Install over plywood or concrete with authorized underpad.

Glue



Float



* Not all species are warranted over radiant heat. Consult your dealer for further information.

What's New in the World of Vintage Flooring


As a leading manufacturer of hardwood flooring and an innovator in the market, we continue to expand our product offering to include new species, new colors and new finishes. Our latest additions include: Solid Sawn Architectural Tiles and 10" and 12" Hand Scraped White Oak.




Versailles White Oak Antique Natural Solid Sawn
Special Order

Architectural Tiles


Solid Sawn Architectural tiles are available in 15.3" x 15.3" in White Oak Antique Baroque, Buckingham and Fumed Old Oak.



Versailles White Oak Antique Buckingham




Versailles White Oak Antique Baroque



Versailles White Oak Old Oak

New Colors in 5" Solid Sawn White Oak



Also Available: 3 1/4" and 4" Solid Sawn Maple, Red Oak and Hickory


10" and 12" Hand Scraped White Oak

10" and 12" Hand Scraped Solid Sawn. Available colors include: Baroque, Buckingham, Edinborough, Gotham, Oracle and custom colors by special order in 24" - 115" longer lengths with average of 60".



Hand Scraped Baroque White Oak Character

All of our New Solid Sawn Introductions can be nailed, glued or floated while offering unparalleled stability.



13 mm Solid Finger Core That Is Placed Perpendicular For Added Strength And Stability. Same Or Similar Species



FSC® CERTIFIED MAPLE & RED OAK



With lasting beauty and elegance, a Vintage hardwood floor allows you to transform any room in your home to define your individual taste and fit your personal lifestyle.

At Vintage, we take pride in offering you an endless palette of rich, luscious colors, in an array of domestic and exotic species and a multitude of grades and lengths so you can create your unique living space.

Using state-of-the art technology, our specialized team of wood experts continuously strives to offer our customers the best quality product and finish in the market. Rigorous quality control measures and continuous improvements to our manufacturing process are undertaken to ensure our systems meet the toughest standards. All of our floors are finished with our specially formulated Armour-Kote® aluminum oxide finish, guaranteed to deliver 25 years of lasting protection and beauty.

All Vintage coatings consist of waterborne stains and UV curable topcoats that are 99% VOC and formaldehyde free.

Over the years, Vintage has made great strides to sustain our nation's forest resources. Our efforts can be seen in our **Naturally Green** Program

which encompasses our comprehensive environmental activities and reinforces our four key pillars: Conservation, Accountability, Recycle and the Environment. To learn more about our Naturally Green Program, please visit our website for more details.

Vintage ensures manufacturing is in compliance with provincial and federal laws in order to minimize harmful effects of manufacturing on the environment.

We comply with the Lacey-Act to ensure all of our domestic and exotic wood species being imported and exported are protected. In compliance with this act, Vintage supplies an import/export declaration with each shipment.

Our Pioneered collection offers FSC® certified Maple and Red Oak which is available in 26 colors, 5 grades and 5 widths. FSC® certified 3/4" solid strip Exotic flooring is also available by special order.

The Vintage Commitment...to manufacture a superior quality, naturally green product with the best value, surpassed by none in the industry. Yours to enjoy for a lifetime.



FSC® CERTIFIED 3/4" HARDWOOD




FSC® Certified Red Oak
2 1/4", 3", 3 1/4" & 4"




FSC® Certified Maple
2 1/4", 3", 3 1/4" & 4"

Environment

DOMESTIC



EXOTIC



Colors

*Not all Pioneered and Crafted domestic colors are available in all species and grades. Please consult your authorized Vintage Dealer for color options.

*Not all Exotics are available in Pioneered (solid). Please consult your authorized Vintage Dealer for specifics.
 ** Please note custom colors are also available.


Natural White Oak



Estate



Select-V



Character



Ranch



Saloon


Natural Red Oak



Estate



Select-V



Ranch



Saloon


Natural Hard Maple



Estate



Select-V



Ranch


Natural Hickory



Select-V



Character



Ranch


Black Cherry



Estate



Select-V



Character


Natural Red Pine



Character


Ash



Select-V



Character



Ranch


Black Walnut



Estate



Select-V



Character

G grades

**Image does not always represent actual grade. Please consult your authorized Vintage Dealer when making your grade choice.*

DOMESTIC SPECIES PRODUCT SPECIFICATIONS

| Species | Characteristics | Pioneered Widths | Crafted Widths* | Solid Sawn Widths | Solid Sawn Hand Scraped Widths | U-LOC |
|---|---|--------------------------------|---------------------|-----------------------|--------------------------------|--------|
| Ash Hardness 1320 | <ul style="list-style-type: none"> Sapwood is creamy white Heartwood is light tan to dark brown Bold, straight, moderately open grain with occasional wavy figuring | 2 1/4", 3", 3 1/4", 4", 5" | 3 1/2", 5"-5 1/4" | N/A | N/A | N/A |
| Black Cherry Hardness 950 | <ul style="list-style-type: none"> Sapwood is pale to light brown with a light pinkish tone Heartwood is light to dark reddish brown Grain is fine, frequently wavy and uniform in texture Darkens over time | 2 1/4", 3 1/4", 5" | 3 1/2", 5"-5 1/4" | N/A | N/A | N/A |
| Black Walnut Hardness 1010 | <ul style="list-style-type: none"> Sapwood is nearly white to tan Heartwood ranges from a deep, rich dark brown to a purplish black Grain is mostly straight and open, but some boards can have burl or curly grain | 2 1/4", 3 1/4", 4", 5" | 3 1/2" (5 1/4" S/O) | 3 1/4", 4", (5" S/O) | 5" | N/A |
| Hard Maple Hardness 1450 | <ul style="list-style-type: none"> Sapwood is pale to creamy white Heartwood is creamy white to light reddish brown Closed subdued grain has a uniform texture; occasionally quilted, fiddleback, curly or bird's-eye figuring is found | 2 1/4", 2 3/4", 3", 3 1/4", 4" | 3 1/2", 5-5 1/4" | 3 1/4", 4", 5"-5 1/4" | 5" | 3 1/2" |
| Hickory Hardness 1820 | <ul style="list-style-type: none"> Sapwood is white to cream Heartwood is tan to reddish Grain is closed with moderate definition and texture | 2 1/4", 3", 3 1/4", 4", 5" | 3 1/2", 5 1/4" | 3 1/4", 4", 5", 7" | 5", 7" | 3 1/2" |
| Red Oak Hardness 1290 | <ul style="list-style-type: none"> Sapwood is white to light brown Heartwood is a pinkish reddish brown Mostly straight-grained with a coarse texture | 2 1/4", 2 3/4", 3", 3 1/4", 4" | 3 1/2", 5 1/4" | 3 1/4", 4" | N/A | 3 1/2" |
| Red Pine Hardness 560 | <ul style="list-style-type: none"> Sapwood is yellow with occasional blue-black sap stain Heartwood is yellow, then turns a deep pinkish tan to warm reddish brown Grain is dense with high figuring and swirled with moderate color variation | 5" | Special Order | N/A | N/A | N/A |
| White Oak Hardness 1360 | <ul style="list-style-type: none"> Sapwood is white to cream Heartwood is light brown with some boards having a pinkish tint or a slight grayish cast Grain is open with occasional swirls, crotches and burls | 2 1/4", 3", 3 1/4", 4", 5" | 3 1/2", 5 1/4" | 5" | 5", 7", 10", 12" | N/A |
| Rift & Qtr. Sawn White Oak Hardness 1360 | <ul style="list-style-type: none"> Sapwood is white to cream Heartwood is light brown with some boards having a pinkish tint or a slight grayish cast Grain is open with occasional swirls, crotches and burls | N/A | 3 1/2" (5 1/4" S/O) | S/O | N/A | N/A |

* Depending on time of order 5", 5 1/4" or 5 1/2" will be available

EXOTIC SPECIES PRODUCT SPECIFICATIONS

| Species | Characteristics | Pioneered Widths | Solid Sawn Widths | Solid Sawn Hand Scraped Widths | U-LOC |
|---|--|------------------|---------------------|--------------------------------|--------|
| Andiroba Brazilian Mahogany Hardness: 1400 **Varies based on region | <ul style="list-style-type: none"> Heartwood is dark brown to reddish brown Successor of genuine Mahogany Grain is straight to interlocking, with a medium texture | 3 1/4" | 3 1/4", 4" (5" S/O) | N/A | N/A |
| Bamboo Hardness: 1250 | <ul style="list-style-type: none"> Available in 7", natural and carbonized | N/A | 7" | N/A | N/A |
| Cabreuva (Santos) Mahogany Hardness: 2200 | <ul style="list-style-type: none"> Heartwood is reddish brown becoming deep red with white sapwood Grain is interlocked with a medium texture | 3 1/4", 4" | 3 1/4" | N/A | N/A |
| Gombeira Brazilian Ebony Ironwood Hardness: 2900 | <ul style="list-style-type: none"> Heartwood is purplish dark maroon to purplish-black brown with some light streaks Grain is straight or slightly interlocked | N/A | 3 1/4" (4" S/O) | N/A | N/A |
| Ipe Brazilian Walnut Hardness: 3600 | <ul style="list-style-type: none"> Wood is dark brown to dark olive Green streaks run through the grain Can have up to 7 colors | 3 1/4" | 3 1/4" | N/A | N/A |
| Jaca Sucupira Hardness: 2600 | <ul style="list-style-type: none"> Freshly cut heartwood is chocolate brown becoming dark brown after drying Figured with light brown narrow stripes giving wood a fibrous aspect Grain is slightly interlocked with medium to coarse texture | N/A | 3 1/4", 4" | N/A | N/A |
| Jatoba Brazilian Cherry Hardness: 2350 | <ul style="list-style-type: none"> Rich red to reddish brown With age and exposure to UV rays will darken the color Straight grained with a fine uniform, smooth and satiny finish | 3 1/4", 4" | 3 1/4", 4", 5" | 5" | 3 1/2" |
| Jatoba Rift & Qtr. Sawn Hardness: 2350 | <ul style="list-style-type: none"> Rich red to reddish brown With age and exposure to UV rays will darken the color Straight grained with a fine uniform, smooth and satiny finish | N/A | Special Order | 5" | 3 1/2" |
| Macaranduba Brazilian Jarrah Bloodwood Bulletwood Hardness: 2890 | <ul style="list-style-type: none"> Freshly cut, heartwood is light red, then turning dark red/maroon Grain is similar to Maple with straight grain and fine texture | N/A | 3 1/4" | N/A | N/A |
| Muiracatiara Tigerwood Hardness: 1965 | <ul style="list-style-type: none"> Freshly cut, heartwood is pale brown to yellow Figured with stripes of dark reddish brown to black | 3 1/4" | 3 1/4" | N/A | N/A |
| Tatajuba Brazilian Iroko Hardness: 1760 | <ul style="list-style-type: none"> Freshly cut, wood is yellow With age turns to olive/golden brown | N/A | 3 1/4" | N/A | N/A |
| Timbor Brazilian Oak Hardness: 1900 | <ul style="list-style-type: none"> Heartwood is brown to reddish brown Grain is interlocked, with a medium texture | N/A | 3 1/4" | N/A | N/A |

* Depending on time of order 5", 5 1/4" or 5 1/2" will be available

GRADE SPECIFICATION FOR PIONEERED DOMESTIC & EXOTIC SPECIES

| Grade | Color | Lengths | Mineral Streaks | Structural Characteristics | Finish | Finish Warranty | Class |
|------------------|--------------------|-----------------------|-----------------|---|------------|-----------------|--------------------------|
| Estate | Very consistent | 12" - 84" Average 38" | Natural | Naturally occurring characteristics | Semi-gloss | 25 year | Best |
| Select-V | Mixed light & dark | 12" - 84" Average 32" | Allowed | Naturally occurring characteristics | Semi-gloss | 25 year | Best/ Better |
| Character | Mixed light & dark | 12" - 84" Average 36" | Allowed | Naturally occurring characteristics, sound knots and checking | Semi-gloss | 25 year | Best/ Better/ Good |
| Ranch | Mixed all colors | 12" - 84" Average 24" | Unlimited | Allows for small knots with checking | Semi-gloss | 25 year | Good |
| Saloon | Unlimited | 12" - 84" Average 20" | Unlimited | Knots, Checking, Splits, Pin Holes, etc. | Semi-gloss | None | Bar |

GRADE SPECIFICATION FOR CRAFTED DOMESTIC & EXOTIC SPECIES

| Grade | Color | Lengths | Mineral Streaks | Structural Characteristics | Finish | Finish Warranty | Class |
|------------------|--------------------|-----------------------|-----------------|---|------------|-----------------|--------------------------|
| Estate | Very consistent | 14" - 72" Average 32" | Natural | Naturally occurring characteristics | Semi-gloss | 25 year | Best |
| Select-V | Mixed light & dark | 14" - 72" Average 32" | Allowed | Naturally occurring characteristics | Semi-gloss | 25 year | Best/ Better |
| Character | Mixed light & dark | 14" - 72" Average 32" | Allowed | Naturally occurring characteristics, sound knots and checking | Semi-gloss | 25 year | Best/ Better/ Good |

GRADE SPECIFICATION FOR HAND SCRAPED SOLID SAWN

| Grade | Color | Lengths | Mineral Streaks | Structural Characteristics | Finish | Finish Warranty | Class |
|------------------|--------------------|---|-----------------|---|-----------|-----------------|--------------------------|
| Character | Mixed light & dark | 16" - 88" Average 58" | Allowed | Naturally occurring characteristics, sound knots and checking | Low gloss | 25 year | Best/ Better/ Good |
| Character | Mixed light & dark | 5", 7" 16" - 88" Ave. 58" 10", 12" White Oak 24" - 115" Ave. 60" | Allowed | Naturally occurring characteristics, sound knots and checking | Low gloss | 25 year | Best/ Better/ Good |

GRADE SPECIFICATION FOR SOLID SAWN EXOTIC

| Grade | Color | Lengths | Mineral Streaks | Structural Characteristics | Finish | Finish Warranty | Class |
|---------------|-----------------|-----------------------|-----------------|-------------------------------------|-----------|-----------------|-------|
| Estate | Very consistent | 18" - 71" Average 38" | Natural | Naturally occurring characteristics | Low gloss | 25 year | Best |

GRADE SPECIFICATION FOR SOLID SAWN DOMESTIC

| Grade | Color | Lengths | Mineral Streaks | Structural Characteristics | Finish | Finish Warranty | Class |
|-----------------|--------------------|-----------------------|-----------------|-------------------------------------|-----------|-----------------|-----------------|
| Estate | Very consistent | 18" - 71" Average 38" | Natural | Naturally occurring characteristics | Low gloss | 25 year | Best |
| Select-V | Mixed light & dark | 18" - 71" Average 38" | Allowed | Naturally occurring characteristics | Low gloss | 25 year | Best/ Better |

GRADE SPECIFICATION FOR U-LOC

| Grade | Color | Lengths | Mineral Streaks | Structural Characteristics | Finish | Finish Warranty | Class |
|-----------------|--------------------|------------------------|-----------------|-------------------------------------|-----------|-----------------|-----------------|
| Estate | Very consistent | 15.75", 31.5" & 47.25" | Natural | Naturally occurring characteristics | Low gloss | 25 year | Best/ Better |
| Select-V | Mixed light & dark | 15.75", 31.5" & 47.25" | Allowed | Naturally occurring characteristics | Low gloss | 25 year | Best/ Better |

Vintage Trims

Vintage also has reducers, nosing and t-moldings available in a variety of colors and species to complete your Vintage Pioneered and Crafted hardwood floors.



Reducer



Nosing

Bi-level Reducer



T-molding

Nosing

Reducer



Vintage Touch-up Kit

The Vintage Touch-up Kit is a three part ready-to-use system. It is specifically designed for Vintage Hardwood Flooring products to cover up any scratches or blemishes your floor may encounter over time. Also available are the Vintage Fil-Stik™ (sold separately) and Color Markers (sold separately) and also available in Touch-Up kit.



Vintage Wood Stains

For staining wood prior to sealing. Vintage wood stain is a penetrating water-based stain designed for ease of application. Vintage wood stain is formulated similar to traditional solvent based stains that reduce overlap, though still giving you the added convenience of water clean up. Once dry, any sealer may be applied.



Maintain an immaculate Vintage floor

The Vintage Hardwood Flooring Cleaning Kit keeps Vintage hardwood floors looking shiny and new. Vintage Hardwood Cleaner is specially formulated and will not leave any residue or streaking.

The Vintage Hardwood Floor Cleaning Kit includes one swivel mop head with telescopic handle, two washable terry cloths and one bottle of Vintage Hardwood Cleaner (1L).

